

# BIOCLEAN INDIGO

Sterile Nitrile Gloves  
**BNPLS**

## About

BioClean Indigo Sterile Nitrile Cleanroom Gloves feature textured fingers for enhanced tactility and are latex-free to eliminate Type I allergies. Processed to ensure ISO Class 4 & EU GMP Grade A compatibility, BioClean Indigo gloves are also resistant to a wide range of chemicals and offer good ESD properties.

## Specifications

**COMPATIBILITY:**  
ISO Class 4 & EU GMP Grade A

**LENGTH:**  
300mm (12")

**MATERIAL:**  
Nitrile

**PROTEIN LEVEL:**  
Nitrile contains no natural latex proteins

**SURFACE:**  
Textured

**SHAPE:**  
Ambidextrous

**COLOUR:**  
Indigo

**STERILIZATION:**  
Gamma irradiation

## Features

- Resistant to a wide range of chemicals
- Powder-free & latex-free
- Textured fingers for enhanced tactility
- Non-particulating EasyTear packaging

**EXCELLENT CHEMICAL RESISTANCE**

**POWDER-FREE**

**LATEX-FREE**

**BEADED CUFF**

EN 421:2010 ISO 374-5:2016



EN ISO 374



**Ansell**

## Quality Standards

- Manufactured in a facility holding ISO 9001:2015 and (EU)2016/425 Module D certifications
- Conforms to Category 3 - Complex Design Personal Protective Equipment PPE Regulation (EU)2016/425
- Processed in an NEBB certified ISO Class 4 environment
- Complies with the requirements of European Glove Standards EN420:2003 +A1:2009, EN374-1:2016, EN374-5:2016
- Physical properties comply with European Medical Glove Standard EN455-2:2015
- Sterilized in accordance with ISO 11137-1:2006
- Suitable for contact with all foodstuffs. Regulation (EC)1935/2004 and (EC) 2023/2006.
- Tested against permeation standard ASTM D6978-05 for cytotoxic drugs
- Complies with the requirements of European Glove Standard EN 421 Protection against particulate radioactive contamination.

## Physical Properties

CHARACTERISTICS	VALUE	TEST METHOD
Freedom From Holes	0.65 AQL Performance Level 3	EN 374-2:2016
Glove Length +/-10mm (mm/inches)	290/11.4	EN 420:2003 + A1:2009
Single Wall Thickness Minimum (mils/mm)	Cuff: 3.94/0.10 Palm: 5.12/0.13 Finger Tip: 7.87/0.20	EN 455-2:2015
Force At Break During Shelf Life	≥9 N	EN 455-2:2015

PALM WIDTHS (mm) ± 5mm						
SIZE	5.0-5.5	6.0-6.5	7.0-7.5	8.0-8.5	9.0	10.0
mm	75	83	95	106	114	119
TEST METHOD				EN 420:2003 + A1:2009		

## Sterilization

Method: Gamma irradiation  
Minimum Dose: 25kGy  
Sterility Assurance Level: 10<sup>-6</sup>

## Shelf Life & Storage

Five (5) years from date of manufacture.  
Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

## Glove Cleanliness Characteristics

PARTICLES				TYPICAL PARTICLE COUNT				TEST METHOD
$\geq 0.5\mu\text{m}(\text{counts}/\text{cm}^2)$				<3500				IEST-RP-CC005.4
TYPICAL EXTRACTABLE IONS								TEST METHOD
ANIONS	Fluoride	Chloride	Nitrite	Bromide	Nitrate	Phosphate	Sulphate	IEST-RP-CC005.4
( $\mu\text{g}/\text{cm}^2$ )	ND	0.187	ND	0.0147	1.553	ND	0.206	
CATIONS	Lithium	Sodium	Ammonium	Potassium	Calcium	Magnesium	Zinc	
( $\mu\text{g}/\text{cm}^2$ )	ND	0.095	0.038	0.217	0.585	ND	ND	
ND = Not Detected, NT = Not Tested								

## TO ORDER

### Re-order code

BNPLS5055  
BNPLS6065  
BNPLS7075  
BNPLS8085  
BNPLS9090  
BNPLS1010

### Size

5.0-5.5  
6.0-6.5  
7.0-7.5  
8.0-8.5  
9.0  
10.0

### Packing

One pair per inner PE wallet; one wallet per sealed EasyTear PE pouch; 10 pouches per sealed outer PE bag; 20 outer bags per lined carton (200 pairs)

For additional information visit us at [www.bioclean.com](http://www.bioclean.com), or contact us at;

#### Nitritex Ltd

Minton Enterprise Park  
Oaks Drive  
Newmarket, Suffolk  
CB8 7YY  
United Kingdom  
Tel: +44 1638 663338

#### Ansell US

111 Wood Avenue South  
Suite 210  
Iselin, NJ 08830  
USA  
Tel: +1 800 800 0444

#### Nitritex (M) Sdn.Bhd

2 Jalan Jurunilai U1/20  
Seksyen U1, Hicom Glenmarie Industrial Park  
40150 Shah Alam, Selangor  
Malaysia  
Tel: +603 5569 3857/3859

BNPLS/1909/PDS30



Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

\*Warning: No glove provides complete protection against all chemicals. Users must test the gloves against the particular chemicals and environment in which they will be used.

\*\*Please see product validation pack or contact Ansell customer service for specific data on use of gloves with cytotoxic drugs. Gloves used for protection against such drugs must be selected specifically for the type of chemicals used.

Ansell, ® and TM are trademarks owned by Ansell Limited or one of its affiliates. © 2012 – 2019 Ansell Limited. All Rights Reserved.