

About

With textured fingers to provide enhanced tactility, the ultra-clean **BioClean Nano 4 Nitrile Gloves are** accelerator-free, latex-free, resistant to a wide range of chemicals and are suitable for use in electrically sensitive applications.

Specifications

COMPATIBILITY: **ISO Class 4**

LENGTH: 300mm (12")

MATERIAL: Nitrile

PROTEIN LEVEL: Contains no natural latex proteins

SURFACE: **Finger-textured**

SHAPE: Ambidextrous

COLOUR: White

Features

- Resistant to a range of chemicals
- Ultra-low LPC <800
- Latex-free
- Powder, Sulphur & Accelerator-free



BIOCLEAN NANO 4 Non-sterile Nitrile Gloves JAN4

LOW PARTICLE COUNT

CHEMICAL RESISTANT*

ACCELERATOR-FREE





Quality Standards

- Manufactured in a facility holding ISO 9001:2015 and (EU)2016/425 Module D certifications
- Conforms to Category 3 Complex Design Personal Protective Equipment PPE Regulation (EU)2016/425
- Processed in an NEBB certified ISO Class 4 environment
- Complies with the requirements of European Glove Standards EN420:2003 +A1:2009, EN374-1:2016, EN374-5:2016
- Physical properties comply with European Medical Glove Standard EN455-2:2015
- Suitable for contact with dry, alcoholic and acidic foodstuffs. Regulation (EC)1935/2004 and (EC) 2023/2006.
- Complies with the requirements of European Glove Standard EN 421 Protection against particulate radioactive contamination.

Physical Properties

CHARACTERISTICS	VALUE	TEST METHOD
Freedom From Holes	1.5 AQL Performance Level 2	EN 374-2:2016
Glove Length +/-10mm (mm/inches)	290/11.4	EN 420:2003 + A1:2009
Single Wall Thickness Minimum (mils/mm)	Cuff: 3.15/0.08 Palm: 3.94/0.10 Finger Tip: 6.30/0.16	EN 455-2:2015
Force At Break During Shelf Life	≥6 N	EN 455-2:2015

PALM WIDTHS (mm) ± 5mm						
SIZE	XS*	S	м	L	XL	XXL
mm	75	85	95	105	115	119
TEST METHOD EN 420:2003 A1:2009					3 +	

Shelf Life & Storage

Five (5) years from date of manufacture. Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.





Glove Cleanliness Characteristics

PARTICLES				TYPICAL PARTICLE COUNT		TEST METHOD		
$\geq 0.5\mu$ m(counts/cm ²)				<800			IEST-RP-CC005.4	
TYPICAL EXTRACTABLE IONS					TEST METHOD			
ANIONS	Fluoride	Chloride	Nitrite	Bromide	Nitrate	Phosphate	Sulphate	IEST-RP-CC005.4
(µg/cm ²)	ND	0.134	NT	NT	0.233	NT	0.012	
CATIONS	Lithium	Sodium	Ammonium	Potassium	Calcium	Magnesium	Zinc	
(µg/cm ²)	NT	0.030	NT	0.010	0.245	0.001	NT	
ND = Not Detected, NT = Not Tested								

TO ORDER

Re-order code	Size	Packing
NAN4-XS	XS*	100 pieces per sealed inner PE bag; one inner bag per sealed outer PE bag; 10
NAN4-S	S	outer bags per lined carton (1000 pieces)
NAN4-M	Μ	
NAN4-L	L	*Size subject to minimum order quantity and lead time.
NAN4-XL	XL	
NAN4-XXL	XXL	
	I	

For additional information visit us at www.bioclean.com, or contact us at;

Nitritex Ltd

Minton Enterprise Park Oaks Drive Newmarket, Suffolk CB8 7YY United Kingdom Tel: +44 1638 663338 Ansell US

111 Wood Avenue South Suite 210 Iselin, NJ 08830 USA Tel: +1 800 800 0444 Nitritex (M) Sdn.Bhd

2 Jalan Jurunilai U1/20 Seksyen U1, Hicom Glenmarie Industrial Park 40150 Shah Alam, Selangor Malaysia Tel: +603 5569 3857/3859



NAN4/1909/PDS40

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

*Warning: No glove provides complete protection against all chemicals. Users must test the gloves against the particular chemicals and environment in which they will be used.

**Please see product validation pack or contact Ansell customer service for specific data on use of gloves with cytotoxic drugs. Gloves used for protection against such drugs must be selected specifically for the type of chemicals used.

Ansell, @ and TM are trademarks owned by Ansell Limited or one of its affiliates. @ 2012 - 2019 Ansell Limited. All Rights Reserved.