


Dispomop[®] 3D









ART


TEXTILES

Dispomop[®] 3D

SHORT LIFE MICROFIBER MOP

No need for glasses to see the spotless contours of your floors, thanks to the short life *Dispomop® 3D*. Its 50-wash life is guaranteed under the most extreme conditions (use with bleach, high washing or drying temperature, etc.). If you're smart, you can break the sound barrier and make it last twice as long.





A fighter plane that removes greater than 99.99 % of bacteria from your surfaces (reduction of more than 4 logs). No, you're not seeing things, it's the patented French technology that makes it possible to clean floors with water alone (tested and approved in accordance with the chemical-free food-processing standard *EN 13697*). In situ validations have recently corroborated the first scientific results.

Lightweight (15g) and ergonomic, *Dispomop*[®] 3D reduces water consumption, chemical use, laundry use and waste all at the same time.

A real ally for sustainable development that certain pioneers have already chosen for their establishments, such as the CHI de Toulon - La Seine-sur-Mer hospital since 2012.



The cherry on the cockpit: it's 100 % polyester making *Dispomop*[®] 3D recyclable. 3 jets (of water) from the fillable handle are sufficient to cover large surfaces. On your trolley, *Dispomop*[®] 3D is stealthy with minimal bulk: you just need a bucket generally used for cloths.




TECHNICAL SPECIFICATIONS

100 378
100 380
100 381

70 % microfiber (100 % polyester) 30 % polyester	X50 MAX. 95°C NO NAX. 95°C	x25	standard EN136 Test carried out	disinfection in compliance with
Description:	Short life microfiber mop			
Packaging:	Box of 4 bags of 25 Dispomop [®] 3D / 2 P	ADs free in each box		
Construction:	Flat Knit			
Weight per m ² :	180 g			
Dry weight:	15 g			
Weight when wrung:	34 g		•	Contamination zone
Absorption rate (water):	7 Dispomop [®] 3D for 1/2 L of solution		•	Samples, COUNT TACT [©] plates
Finish:	Ultrasonic cutting		N N	Cloth movement
Yarn size:	0,56 dTex		→ ->	Direction of movement 1st pass



Step 1 Prepare the necessary number of Dispomop[®] 3D in the bucket.




Step 2 Pre-soak the mops as shown in the table below.

	1/21		4 1 4 /2	21	21		
Y U	1/2 L	I L	I L 1/2	2 L	3 L	4 L	8 L
N N	7 mops	14 mops	21 mops	28 mops	42 mops	56 mops	112 mops

Step 3 Wash the floors using Dispomop[®] 3D.

Always sweep the floor before washing.







TECHNICAL SPECIFICATIONS

100 567
100 568
100 569
100 570

70 % microfiber (100 % polyester) 30 % polyester	X50 MAX. 95°C NO NO SOFTENER	x25	standard EN136 Test carried out	disinfection in compliance with
Description:	Short life microfiber mop			• • • • • • • • • • • • • • • • • • •
Packaging:	Box of 12 bags of 25 $\rm Dispomop^{\it @}$ 3D / 6	PADs free in each box		
Construction:	Flat Knit			
Weight per m ² :	180 g			2 3
Dry weight:	19 g			
Weight when wrung:	43 g		•	Contamination zone
Absorption rate (water):	5 Dispomop [®] 3D for 1/2 L of solution		٩	Samples, COUNT TACT [©] plates
Finish:	Ultrasonic cutting		w.	Cloth movement
Yarn size:	0,56 dTex			Direction of movement 1st pass
				ist puss



Step 1 Prepare the necessary number of Dispomop[®] 3D in the bucket.



Step 2 Pre-soak the mops as shown in the table below.

	1/21		4 1 4 /2	21	21		
Y U	1/2 L	1 L	1 L 1/2	2 L	3 L	4 L	8 L
12 North Contraction of the second se	5 mops	10 mops	15 mops	20 mops	30 mops	40 mops	80 mops

Step 3 Wash the floors using Dispomop[®] 3D.

Always sweep the floor before washing.

