






Dispomop®

MADE IN FRANCE



SMART TEXTILES





S M A R T T E X T I L E S

Dispomop®
MADE IN FRANCE

DISPOSABLE MICROFIBER MOP

Dispomop® came into being in 2003 and was awarded the prize for innovation at the Europropre tradeshow that year, in France, as the first disposable microfiber mop. It has come a long way since then!

In our production workshop, 15 minutes from Lille in France, in an ultra-low energy building, *Dispomop®* comes off the ultrasound cutting line at a rate of 60,000 units per day. We need just one staff member at each post to work this miracle and make this bestseller the perfect floor cleaning product in risk contamination areas. That's how responsive DECITEX can be to your needs.



How can we believe that such a fine textile can clean operating theatres, Intensive Care Units (ICU), fire and rescue services and even floors or vertical surfaces in the pharmaceutical industry? Because we're experts of course but also because a COFRAC (French Accreditation Committee) laboratory demonstrated it scientifically. The latter assessed *Dispomop®* in accordance with the chemical-free food-processing standard *EN 13697*. The capacity of *Dispomop®* to remove bacteria from surfaces and hold them in its unique 100 % polyester microfiber achieves a 5.6-log reduction. Simply put, it can eliminate more than 99.999 % of bacteria from the surface using water alone!

Dispomop® doesn't just offer hygienists cross-contamination control or a cutting-edge bacteriological level, it's also easy to use and fits onto standard Velcro handles and frames on the market using the *PAD* provided in each box. No need to invest in complex equipment, manage spare parts or change working habits, ergonomic and lightweight, *Dispomop®* adapts to its environment.




This disposable French microfiber has a proven track record as the leading disposable microfiber mop on the market since 2003. And because DECITEX tends to see things through, the *Dispomop®* packaging is just 15 microns and is oxo-biodegradable (one for the environment!). Lastly, it demonstrates versatility as an ideal back-up product in emergencies (infection, if the usual mop strip breaks, etc.) and no particle release thanks to the ultrasonic cutting of its sealed edges.



TECHNICAL SPECIFICATIONS

DE C ITEX 100 440

70 % microfiber
(100 % polyester)
30 % polyester



Description: Disposable microfiber mop

Packaging: Box of 5 bags of 50 Dispomop® / 1 Pad free in each box

Construction: Warp knitting

Weight per m²: 180 g

Dry weight: 8,5 g

Weight when wrung: 19 g

Absorption rate (water): 13 Dispomop® for 1/2 L of solution


Finish: Ultrasonic cutting

Yarn size: 0,56 dTex


STANDARD EN13697

Approved for disinfection in compliance with standard EN13697

Test carried out with distilled water on *Staphylococcus aureus* in the presence of interferential material.



- Contamination zone
- Samples, COUNT TACT® plates
- Cloth movement
- Direction of movement
- 1st pass



PROTOCOL




Advanced industries



Operating theaters / Intensive care units


① Set the PAD on the frame




② Set the frame with its PAD on the end of the handle



③ Place the handle + frame + PAD on the mop on the floor



Step 1 Prepare the necessary number of Dispomop® in the bucket.



Step 2 Pre-soak the mops as shown in the table below.



| 1/2 L | 1 L | 1 L 1/2 | 2 L | 3 L | 4 L | 8 L |
|---------|---------|---------|---------|---------|----------|----------|
| 13 mops | 26 mops | 39 mops | 52 mops | 78 mops | 104 mops | 208 mops |





Step 3 Wash the floors using Dispomop®.

⚠ Always sweep the floor before washing.

① Place the handle with frame on the mop on the floor

② Set up a cleaning reservoir


③ Work towards the entrance using the cleaning reservoir





TECHNICAL SPECIFICATIONS

70 % microfiber
(100 % polyester)
30 % polyester



Description: Disposable microfiber mop

Packaging: Box of 5 bags of 50 Dispomop® / 1 Pad free in each box

Construction: Warp knitting

Weight per m²: 180 g

Dry weight: 10 g

Weight when wrung: 23 g

Absorption rate (water): 11 Dispomop® for 1/2 L of solution


Finish: Ultrasonic cutting

Yarn size: 0,56 dTex


STANDARD EN13697

Approved for disinfection in compliance with standard EN13697

Test carried out with distilled water on *Staphylococcus aureus* in the presence of interferential material.



- Contamination zone
- Samples, COUNT TACT® plates
- Cloth movement
- Direction of movement
- 1st pass



PROTOCOL




Advanced industries




Operating theaters / Intensive care units


- ① Set the PAD on the frame




- ② Set the frame with its PAD on the end of the handle



- ③ Place the handle + frame + PAD on the mop on the floor



Step 1 Prepare the necessary number of Dispomop® in the bucket.



Step 2 Pre-soak the mops as shown in the table below.




| 1/2 L | 1 L | 1 L 1/2 | 2 L | 3 L | 4 L | 8 L |
|---------|---------|---------|---------|---------|---------|----------|
| 11 mops | 22 mops | 33 mops | 44 mops | 66 mops | 88 mops | 176 mops |


Step 3 Wash the floors using Dispomop®.

⚠ Always sweep the floor before washing.



- ① Place the handle with frame on the mop on the floor



- ② Set up a cleaning reservoir




- ③ Work towards the entrance using the cleaning reservoir





TECHNICAL SPECIFICATIONS

70 % microfiber
(100 % polyester)
30 % polyester



Description: Disposable microfiber mop

Packaging: Box of 5 bags of 50 Dispomop® / 1 Pad free in each box

Construction: Warp knitting

Weight per m²: 180 g

Dry weight: 12,5 g

Weight when wrung: 29 g

Absorption rate (water): 8 Dispomop® for 1/2 L of solution


Finish: Ultrasonic cutting

Yarn size: 0,56 dTex


STANDARD EN13697

Approved for disinfection in compliance with standard EN13697

Test carried out with distilled water on *Staphylococcus aureus* in the presence of interferential material.



- Contamination zone
- Samples, COUNT TACT® plates
- Cloth movement
- Direction of movement
- 1st pass



PROTOCOL




Advanced industries




Operating theaters / Intensive care units


① Set the PAD on the frame




② Set the frame with its PAD on the end of the handle



③ Place the handle + frame + PAD on the mop on the floor



Step 1 Prepare the necessary number of Dispomop® in the bucket.



Step 2 Pre-soak the mops as shown in the table below.



| 1/2 L | 1 L | 1 L 1/2 | 2 L | 3 L | 4 L | 8 L |
|--------|---------|---------|---------|---------|---------|----------|
| 8 mops | 16 mops | 24 mops | 32 mops | 48 mops | 64 mops | 128 mops |

Step 3 Wash the floors using Dispomop®.

⚠ Always sweep the floor before washing.

① Place the handle with frame on the mop on the floor

② Set up a cleaning reservoir

③ Work towards the entrance using the cleaning reservoir

