


M600

MADE IN EUROPE














M600 is a bio-cleaning classic with its dual composition: 50 % microfiber (80 % polyester / 20 % polyamide) for absorption and removal of dirt and 50 % polyester to make it glide easily over the floor.





M600 is above all an absorption mop capable of leaving very little water on the surface. Its 100 % microfiber intermediate layer guarantees additional absorption for cleaning large surfaces. It's the ideal mop in combination with a steam cleaner that requires a mop capable of absorbing excess water so as not to leave wet floors.

It's also great on shiny tiles, where dry water marks are not a good look. The finish is much clearer. DECITEX uses a polyester yarn to ensure an extremely hard-wearing finish over time. Its soft Velcro, also polyester, adapts easily to all surface irregularities.




Available in four strip colours, which can be allocated by work area or facilitate logistical redistribution within your department.

Unlike most players in this market, DECITEX manufactures M600 in Europe in its own workshops. That's how we guarantee the quality of M600 year after year.









TECHNICAL SPECIFICATIONS

100 719

50 % microfiber (80 % polyester / 20 % polyamide) 50 % polyester











Description: Microfiber mop for steam cleaning and smooth floor surfaces

Packaging: Box of 10 bags of 10 M600

Construction: Warp knitting

Weight per m²: 520 g

Dry weight: 67 g

Weight when wrung: 175 g

Absorption rate (water): 2 M600 for 1/2 L of solution

Finish: Technical sewing

Yarn size: 0,20 dTex



48 cm



PROTOCOL



Operating theaters / Intensive care units



Healthcare





Local authorities



Hotels



Restaurants




Cafés





Industry















TECHNICAL SPECIFICATIONS

DECTEX

.100 720

50 % microfiber (80 % polyester / 20 % polyamide) 50 % polyester









Description: Microfiber mop for steam cleaning and smooth floor surfaces

Packaging: Box of 10 bags of 10 M600

Construction: Warp knitting

Weight per m²: 520 g

Dry weight: 88 g

Weight when wrung: 200 g


Absorption rate (water): 2 M600 for 1/2 L of solution

Finish: Technical sewing

Yarn size: 0,20 dTex



Step 1 Prepare the necessary number of M600 in the bucket.



- Use the mops flat or folded -

Step 2 Pre-soak the mops as shown in the table below.

	<u> </u>						
	1/2 L	1 L	1 L 1/2	2 L	3 L	4 L	8 L
No. of the second secon	2 mops	4 mops	6 mops	8 mops	12 mops	16 mops	32 mops

Step 3 Wash the floors using M600.











TECHNICAL SPECIFICATIONS

DECTEX

.100 834

50 % microfiber (80 % polyester / 20 % polyamide) 50 % polyester





Description: Microfiber mop for steam cleaning and smooth floor surfaces

Packaging: Box of 10 bags of 10 M600

Construction: Warp knitting

Weight per m²: 520 g Dry weight: 94 g

Weight when wrung: 225 g

Absorption rate (water): /

Finish: Technical sewing

Yarn size: 0,20 dTex



S M A R T T E X T I L E S



42 cm



PROTOCOL



Operating theaters / Intensive care units



Healthcare





Local authorities



Hotels



Restaurants



Cafés






Industry





Soak the mop



Squeeze the mop in the squeeze bucket



Work towards the entrance using the cleaning reservoir



Always sweep the floor before washing.



