



HLD
CLEAN
CONSULT

hld

YOUR SWISS PARTNER



HLD Clean Consult SA
Champs Montants 14 b
CH-2074 Marin



+41 32 755 73 53



+41 32 755 73 55



info@hld.ch

Breakframe



SMART TEXTILES





SMART TEXTILES

Breakframe

UNIVERSAL POCKET FRAME WITH ERGONOMIC CONNECTION FOR EASE-OF-USE

Although very much attached to Velcro-type fastening systems because they are lightweight and user-friendly, Decitex is entering the market of frames for pocket mops. *Breakframe*, which doesn't gather dirt nor require spare parts, is a wear-resistant, hygienic frame. Its magnetic locking system is intuitive and resistant, and ideal for intensive daily use.



The *Breakframe* ergonomic connection allows for easy inserting into all handles in the range. No one will ever get their fingers pinched when positioning or removing it. The ergonomic connection rotates on 360° for optimal ease of use. When connected to the *Curve*, «S» cleaning is now easier than ever and musculoskeletal disorder (MSD) is avoided.

Breakframe is coming out at the same time as our latest innovation: *Ultimate Spacer* — the first short life pocket microfiber mop. The combination of *Breakframe* and *Ultimate Spacer* opens the gate to new international markets for Decitex with a unique, innovative proposal.




In addition to *Ultimate Spacer*, a majority of microfiber mops in the Decitex range adapt to *Breakframe*. It is now up to you to choose the ideal mop for your type of floor and position it on your new frame!



SMART TEXTILES

Breakframe



TECHNICAL SPECIFICATIONS



100 102

High density
polypropylene



Description: Universal pocket frame with ergonomic connection for ease-of-use

Packaging: Box of 10 Breakframe

Counterpart: Special connection for an easy insertion
Magnetic locking system

Spare parts: None



SMART TEXTILES

Breakframe



PROTOCOL



Advanced industries



Operating theaters / Intensive care units



Healthcare



Retirement homes



Local authorities



Hotels



Restaurants



Cafés




Cleaning companies



Industry




1 Ball swivels 360°




2 Set the handle onto the frame

3 Press the pedal and pull the handle to open the frame



4 Insert the frame in the pockets of the mop



5 Magnetic locking system for a flat support

