

Product Data Sheet for JACKSON SAFETY* G60 PURPLE NITRILE* Level 3 Cut Resistant Gloves - Ambidextrous / Grey & Purple

Product Information

Customer Facing Code 97430 - 97434
Description JACKSON SAFETY* G60 PURPLE NITRILE* Level 3 Cut Resistant Gloves - Ambidextrous / Grey & Purple
PDS Reference 20/12/2017
Status On Sale



Packaging Configuration

Case Contents 1 Bag x 12 Pairs = 24 Gloves
Outer Pack Material Paper
Commodity Code 61161020

Packaging and Palletisation

Code/Size	ITF Barcode	EAN Barcode	Case LWH (cm)	Net/Gross Weight (kg)	Pallet Type	Pallet LWH (m)	Cases per Pallet	Inner Gross Weight (Kg)
97430-7	10036000974307		28.3 x 14.2 x 14.5	0.75/0.94	E5	1.20 x 0.80 x 1.31	20 x 8 =160	
97431-8	10036000974314		29.5 x 15.2 x 16.2	0.75/0.94	E5	1.20 x 0.80 x 1.45	20 x 8 =160	
97432-9	10036000974321		29.5 x 15.2 x 16.2	0.75/0.94	E5	1.20 x 0.80 x 1.45	20 x 8 =160	
97433-10	10036000974338		29.5 x 15.2 x 16.2	0.75/0.94	E5	1.20 x 0.80 x 1.45	20 x 8 =160	
97434-11	10036000974345		29.4 x 15.2 x 16.2	0.75/0.94	E5	1.20 x 0.80 x 1.45	20 x 8 =160	

Product Description

A range of cost effective, durable Gloves and Sleeves suitable for processes where there is a cutting or laceration risk to workers' hands and arms.

Ideal for: applications of metal fabrication, glass handling and automotive assembly; providing workers with PPE category 2 classification, high level 3 cut resistance and level 4 abrasion resistance; superior protection against cuts and gashes, with HPPE fibers; conforming to EN420 Minimum Cuff Length providing protection to wrist areas; offering user breathability as yarn is designed to transmit heat away. The unique design with nitrile dots on palm and nitrile coated finger tips offer excellent grip where needed, without compromising dexterity and breathability.

Available as: latex-free, hand specific gloves in five sizes with colour-coded cuffs.

Product Data Sheet for JACKSON SAFETY* G60 PURPLE NITRILE* Level 3 Cut Resistant Gloves - Ambidextrous / Grey & Purple

Features and Benefits

Features	Benefits
Ambidextrous	Unique cost in use for increased efficiency and productivity
Conforms to EN420 - minimum cuff length	Enhanced protection to wrist area
Highest abrasion resistance	Enhanced efficiency and productivity
Nitrile coated fingertips	Grip and breathability at the same time
Nitrile dots on palm	Excellent grip
Suitable for washing	Efficient use

Product Configuration

Sterile	No	Latex Free	Yes
Main Protection Type	Cut	Application	Industrial
Ambidextrous	Yes	Powdered	No
Material	Other	Coated	No
Liner	No	Coating	Nitrile
Colour	Grey & Purple	Gauge	13
Length	160 - 240 mm		

International Standards and Symbols

Solution

Safer Workplace

We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.



Productive Workplace

The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.



Standard R+E

EN 388:2003

This standard which is designed to assess the performance of a fabric or layers of fabric for their ability to resist mechanical risks of abrasion, blade cut, tear and puncture. The test procedure includes a separate test for each of these properties, and a performance level is awarded according to each test result. This standard is only applicable in conjunction with EN420



CE Mark

Simple - CAT I, Intermediate - CAT II or Complex - CAT III



Trade

ISO 9001

This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.



Packaging

Unit Of Sale	Case	Max Weight(kg)	1.03
Case Dimension(LXWXH)(cm)	29.4 x 15.2 x 16.2	Inner Pack Material	Plastic

Product Data Sheet for JACKSON SAFETY* G60 PURPLE NITRILE* Level 3 Cut Resistant Gloves - Ambidextrous / Grey & Purple

Instructions

The open book pictogram - indicates that the user should read and understand the USER INSTRUCTIONS before using the garment.



Protect from heat and radioactive sources.



Keep Dry. Store in a cool, dry place.



Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

Infobox Details

infofax@kcc.com

Websites

www.kcprofessional.com

Storage conditions

Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.

Durability

This product has a five years shelf life from the date of manufacture.

Customer Service Number

For more information please contact Customer Service during regular office hours 0848 000 052

Country of Origin

PAKISTAN