

“ ULTRA-LOW PARTICULATION ”

Latex-free
& low-linting

High
BFE & PFE

Excellent
breathability

Low particle shedding
& high strength seams

MASTER CODE

SPECIFICATIONS

PACKAGING

MTA

210mm
Tie-on

One piece per sealed pouch
50 pouches per sealed bag
Recyclable Components


MASTER CODE

MTA

RE-ORDER CODE PACK

MTA 210-1 Single

PRODUCT ILLUSTRATION



COLOUR:	White.
TYPE:	Tie-on.
SIZE:	210mm Length.
CONSTRUCTION:	3 ply - Ultrasonic sealing. Outer facing: Polyester Non-woven Filter layer: Polyester Meltblown Non-woven Inner facing: Polypropylene/Polyethylene Non-woven Headloops: Non-Latex Polyurethane Band Nose-band: Single Steel coated with Polypropylene
STERILIZATION METHOD:	Gamma irradiation
PHYSICAL PROPERTIES:	Particle filtration efficiency (PFE) >96% Bacterial filtration efficiency (BFE) >94% Pressure drop (Delta P) 3.2
PACKING:	Bagged.
PARTICLE SHEDDING:	Average Particle Count = 19/minute (Particle size: 0.2 - 5.0 microns).
TEST METHOD:	ASTM F51-68 (1989).
QUALITY SYSTEMS:	Produced in a facility registered to ISO 9001:2008 and ISO 13485:2003.
SAMPLING & INSPECTION:	In accordance with ISO 2859 standard procedures.
STORAGE INSTRUCTIONS:	Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.
SHELF LIFE:	Five (5) years from date of manufacture.
LOT NUMBER:	This is shown on all the bags and the carton to provide product traceability.
PACKAGING:	One piece per sealed pouch; 50 pouches per sealed outer bag; 10 outer bags per carton (500 pieces).

MTA/PDS5



GB10/81851



GB04/61092



UNITED KINGDOM (Headquarters) info@nitritex.com
MALAYSIA (Manufacturing) info@nitritex.com.my
CANADA info@nitritexcanada.com
SINGAPORE info@nitritex.com.sg
CHINA info@nitritex.cn