

 $\textbf{STATECH SYSTEMS AG STS}, \textbf{ Alte Schmerikonerstrasse 3, CH-8733 Eschenbach SG} \ / \ \textbf{Switzerland}$

Tel. +41 (0) 55 286 23 53 Fax: +41 (0) 55 286 23 54 E-Mail: sales@statech.cl

MWST / TVA / VAT N° 222 716

Technical data sheet

Solvent dispenser E9

Code: 14S-KE302/304

Description

HDPE Bottles are dissipative and are designed to protect your valuable static sensitive printed circuitry

Product benefits

- Long lasting dissipative properties
- Suitable for cleanrooms
- Ideal for cleaning products
- No migratory additives reduces the chance for contamination from the bottle
- No influence of the electrostatic properties by age or moisture

Electrical properties

Surface resistance: < 5 x 10¹⁰Ω

Decay time: < 2sCharge: < 100V

- Conform to IEC 61340-5-1

Recommendation

- Not suitable for liquids such as acetone or cellulose thinner, tetrachlorethylene, carbon tetrachloride, acetic acid, etc.
- Do not overfill the dispenser bottle

Available sizes

Available with capacity: 120ml and 170ml.

The information set forth herein is intended for use by persons having technical skill at their own discretion and risk. Since conditions of use are outside our control, we make no warranties express or implied and assume no liability in connection with any use of this information.