


*Pharma - Dry Recovery





- *Cleanroom compatible with ISO Class 4 (former Class 10).
 Can be used in the pharmaceutical industry
- 3-stage filtration system includes an ULPA Filter U15, Main Cloth Filter and Disposable Filter Bag
- Designed for general cleanup in contamination controlled environments
- Single phase thru-flow motor
- Low noise level: only 60 dB(A) at 6.6' (2m)
- For dry recovery only
- · Available with a plastic or stainless steel recovery tank
- Recovery capacity of 4 gallons (15.2 liters) in recovery tank or 2 gallons (7.6 liters) in Disposable Filter Bag
- Based on a 4-wheel dolly for easy maneuverability
- Complete tool kit included

CR-1 ULPA Shown

Available with a plastic or stainless steel recovery tank. This unit is equipped with a true ULPA Filter (U15) located downstream of the motor. This unit is equipped with a 3-stage filtration system consisting of an ULPA Filter (U15), Main Cloth Filter and Disposable Filter Bag. This unit is cleanroom compatible and can be used in the pharmaceutical industry. This unit has been designed for general cleanup in contamination controlled environments. This is a dry recovery only vacuum cleaner. All of our HEPA/ULPA vacuum cleaners are Aerosol Leak Tested before leaving our facility.

Siège européen

Tiger-Vac Europa S.R.L. Via Marie Curie 17 Zona Industriale Ponte Rizzoli Ozzano Emilia, BO 40064 Italia

Tel.: (39) 051 79.53.52 Fax: (39) 051 4695077 Web site: http://www.tiger-vac.eu Email: info@tiger-vac.it

Siège International

Tiger-Vac International Inc. 2020 Dagenais Blvd. Laval, Quebec H7L 5W2 Canada

Tel.: 450-625-0099 & 450-622-0100 Fax.: 450-625-3388 Web site: http://www.tiger-vac.com Email: support@tiger-vac.com

Spécific	cations	pour le n	nodèle C	R-1 ULP	Ά								
Nom	Numéro de pièce	Capacité sac papier	Récupérati on sèche	Aspiration	Débit d'air	Phase	Puissance	Ampérage	Watt	Hertz	Voltage	Prise	
CR-1 ULPA	110760B	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m ³ /h	1	1HP	4.3A	1000W	50Hz	240V	European Plug	
	Dimensions	s: H55.9 cm ×	W38.1 cm × L	45.7 cm Poi	ds: 9.07 Kg	Noise Level: 6	60.00 dB(A)						
CR-1 ULPA	110760C	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m³/h	1	1HP	4.3A	1000W	50Hz	240V	UK Plug	
	Dimensions: H55.9 cm × W38.1 cm × L45.7 cm Poids: 9.07 Kg Noise Level: 60.00 dB(A)												
CR-1 ULPA	110760D	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m³/h	1	1HP	4.3A	1000W	50Hz	240V	Swiss Plug	
	Dimensions	s: H55.9 cm ×	W38.1 cm × L	45.7 cm Poi	ds: 9.07 Kg	Noise Level: 6	60.00 dB(A)						
CR-1 ULPA	110760E	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m ³ /h	1	1HP	4.3A	1000W	50Hz	240V	Chinese Plug	
	Dimensions	s: H55.9 cm ×	W38.1 cm × L	45.7 cm Poi	ds: 9.07 Kg	Noise Level: 6	60.00 dB(A)						
CR-1 ULPA WITH	110762B	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m ³ /h	1	1HP	4.3A	1000W	50Hz	240V	European Plug	
STAINLES S STEEL TANK (AISI 430)	Dimensions: H55.9 cm × W40.6 cm × L40.6 cm Poids: 8.62 Kg Noise Level: 60.00 dB(A)												
CR-1 ULPA WITH	110762C	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m ³ /h	1	1HP	4.3A	1000W	50Hz	240V	UK Plug	
STAINLES S STEEL TANK (AISI 430)	Dimensions: H55.9 cm × W40.6 cm × L40.6 cm Poids: 8.62 Kg Noise Level: 60.00 dB(A)												
CR-1 ULPA WITH	110762D	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m ³ /h	1	1HP	4.3A	1000W	50Hz	240V	Swiss Plug	
STAINLES S STEEL TANK (AISI 430)													
CR-1 ULPA WITH	110762E	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m ³ /h	1	1HP	4.3A	1000W	50Hz	240V	Chinese Plug	
STAINLES S STEEL TANK (AISI 430)	Dimensions: H55.9 cm × W40.6 cm × L40.6 cm Poids: 8.62 Kg Noise Level: 60.00 dB(A)												
WITH	110762BP	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m ³ /h	1	1HP	4.3A	1000W	50Hz	240V	European Plug	
STAINLES S STEEL TANK (AISI 430), WITH ULPA PROTECT OR HOUSING INSTALLE D	Dimensions: H55.9 cm × W40.6 cm × L40.6 cm Poids: 8.62 Kg Noise Level: 60.00 dB(A)												
CR-1 ULPA WITH	110762CP	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m ³ /h	1	1HP	4.3A	1000W	50Hz	240V	UK Plug	
STAINLES S STEEL TANK (AISI 430), WITH ULPA PROTECT OR HOUSING INSTALLE D	Dimensions: H55.9 cm × W40.6 cm × L40.6 cm Poids: 8.62 Kg Noise Level: 60.00 dB(A)												
CR-1 ULPA WITH STAINLES S STEEL TANK (AISI 430), WITH ULPA PROTECT OR HOUSING INSTALLE D	110762DP	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m ³ /h	1	1HP	4.3A	1000W	50Hz	240V	Swiss Plug	
	Dimensions: H55.9 cm × W40.6 cm × L40.6 cm Poids: 8.62 Kg Noise Level: 60.00 dB(A)												
CR-1 ULPA WITH STAINLES	110762EP	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m ³ /h	1	1HP	4.3A	1000W	50Hz	240V	Chinese Plug	

S STEEL TANK (AISI 430), WITH ULPA PROTECT OR HOUSING INSTALLE D	Dimensions: H55.9 cm × W40.6 cm × L40.6 cm Poids: 8.62 Kg Noise Level: 60.00 dB(A)											
CR-1 ULPA WITH	110760BP	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m ³ /h	1	1HP	4.3A	1000W	50Hz	240V	European Plug
ULPA PROTECT OR HOUSING INSTALLE D	Dimensions: H40.6 cm × W50.8 cm × L55.9 cm Poids: 9.07 Kg Noise Level: 60.00 dB(A)											
CR-1 ULPA WITH	110760CP	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m ³ /h	1	1HP	4.3A	1000W	50Hz	240V	UK Plug
ULPA PROTECT OR HOUSING INSTALLE D	Dimensions:	H40.6 cm × \	W50.8 cm × L	55.9 cm Poic	ls: 9.07 Kg I	Noise Level: 6	0.00 dB(A)					
CR-1 ULPA WITH	110760DP	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m ³ /h	1	1HP	4.3A	1000W	50Hz	240V	Swiss Plug
ULPA PROTECT OR HOUSING INSTALLE D	Dimensions: H40.6 cm × W50.8 cm × L55.9 cm Poids: 9.07 Kg Noise Level: 60.00 dB(A)											
CR-1 ULPA WITH ULPA PROTECT OR HOUSING INSTALLE D	110760EP	7.6 L	15.2 L	2515 mm H ₂ O	163.1 m ³ /h	1	1HP	4.3A	1000W	50Hz	240V	Chinese Plug
	Dimensions:	H40.6 cm × \	W50.8 cm × L	55.9 cm Poic	ls: 9.07 Kg I	Noise Level: 6	0.00 dB(A)					

ULPA - Ultra Low Penetration Air Filter

A ULPA filter is a type of air filter. It can remove at least 99.999% of dust, pollen, mould, bacteria and any other airborn particles with a size of 0.12 microns or larger.

North-America: Each ULPA Filter has a minimum filtration efficiency of 99.999% on 0.12 micron. Tested as per IEST-RP-CC001.3.

Europe: Each ULPA Filter has a minimum filtration efficiency of 99.9995% on 0.18 micron, rated U15 as per EN 1822 by MPPS method.

HEPA - High Efficiency Particulate Air Filter

A HEPA filter is a type of air filter, which means it filters the air coming in or out of the vacuum cleaner system. It can remove at least 99.99% of dust, pollen, mould, bacteria and any other airborn particles with a size of 0.3 micron or larger.

North-America: Each HEPA Filter has a minimum filtration efficiency of 99.99% on 0.3 micron. Tested as per IEST-RP-CC001.3.

Europe: Each HEPA Filter has a minimum filtration efficiency of 99.995% on 0.3 micron, rated H14 as per EN 1822 by MPPS method.

Click here to download Tiger-Vac's HEPA Filter's standards chart.

Tools & Accessories

TOOLS A	TOOLS AND ACCESSORIES - Included					
Part#	Quantity	Description				
323497	1	SUCTION HOSE ASSEMBLY FOR MODEL CR-1 Ø1.25"(32mm)x8'(2.4m)				
323504A	1	TELESCOPIC EXTENSION WAND FOR MODEL CR-1 -PLASTIC				
323508	1	FLOOR TOOL 1.25"(32mm) x 14"(35.6cm) BLACK FOR AS-5 AND CR-1				
323510	1	CREVICE TOOL FOR AS-5 AND CR-1 1.25"(32mm)x8"(20.3cm)				
323514	1	DUSTING BRUSH FOR AS-5 AND CR-1 1.25"(32mm)x3"(76mm)				
323512	1	UPHOLSTERY TOOL FOR AS-5 AND CR-1 1.25"(32mm)x5"(13cm)				

MICRO TOOL KIT - Optional							
Part#	Quantity	Description					
323316	1	MICRO TOOL KIT Ø1.25"(32mm) ESD* SAFE PLASTIC					

Avertissement:

Do not use this vacuum cleaners to recover explosive dusts or flammable liquids