



[+ View More](#)

PRODUCT NUMBER: 2232086

ARATHERMA FIT

For the handling of hot, sharp parts in a dry atmosphere. Automotive industry, car equipment manufacturers, paper...

Honeywell

Overview

Reference Number

2232086

Product Type

Gloves

Range

Thermal Protection

Line

Heat

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Industry
- Automotive and Part Manufacturer
- Glass Industries
- Iron and steel industry

Product Use

For the handling of hot, sharp parts in a dry atmosphere. Automotive industry, car equipment manufacturers, paper...

Features & Benefits

Feature

100% Kevlar® knitted glove
Lined with one cotton knitted glove
Long knitted elastic wrist (10 cm)
Ambidextrous

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand and good dexterity.

The glove offers maximum comfort and added sturdiness.

Kevlar® glove lined with cotton is pleasant to the touch.

The lining enhances the glove's mechanical performance while absorbing perspiration.

The glove is ambidextrous and thus more cost-effective.

The glove's relative thickness (gauge 7) enables it to absorb shocks, making it suitable for the handling of heavy objects.

RESISTANCE

The Kevlar® fibre offers good resistance to cuts and protection against thermal hazards (contact heat).

HYGIENE

The length of the knitted wrist offers forearm protection.

Technical Description

Description

CE CATEGORY : II Intermediary Risks

In accordance with standards :

EN 420-2003 Basic standards

EN 388-2003 Mechanical hazards

EN 407-2004 Thermal hazards

CHARACTERISTICS :

100% Kevlar® knitted glove
Lined with one cotton knitted glove
Long knitted elastic wrist (10 cm)
Ambidextrous

Product Technology

Knitted

Gauge

10

Coating Type

Kevlar®

Length

30 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

7 and 9

EN 407 - Heat and/or Fire

Behaviour and/or fire	4
Resistance to contact heat	3
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance	5
Tear resistance	4
Puncture resistance	X

Packaging Label

Tagging

CE SPERIAN

2232086 XX

EN 420

EN 388 : 254X

EN 407 : 43XXXX

Certifications

EC Category PPE

2

EC Certificate Number

0075/797/162/06/08/0191

EC Attestation

 EC Attestation

EC Attestation Number

0075/797/162/06/08/0191

We're sorry, there are no images available at this time.

Photos & Images

Additional Information

User Manual

UI 106

User Information Sheet

106

Maintenance

Storage Information

Minimum packaging 10 pairs.

Cartons of 50 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Sperian Protection.

Keep away from direct light.